

GA1 M S040 - 2140 001

Product codes:

Reference: 2140 001

**Product short description:**

Carrying frame for 1 person assembled with a single-phase electric motor and self-priming centrifugal pump Type Victor Pumps S 40 (Q max: 22 m³/h ; H max: 15 m) with following features:

- Close-coupled
- Control-panel with On/Off switch with thermistors, Schuko plug for 1 Phase 230V current
- PinoPumps standard stainless steel name plate with product name and serial number

Product features:

Main Features
Pump Flow Rate: max 22 m ³ /h (360 l/min)
Pump head: max 15 m
Max. Solids Handling: 20 mm
Self-priming: ★★☆☆☆
Heavy-duty: ★★★★★
Frame: Carrying frame for 1-2 people
Frame
Suitable for solid ground: Yes
Suitable for muddy and sandy terrains: No

Can be moved by hand: Yes**Can be towed with a vehicle:** No**Towing bar with hook:** No

Pump

Type of Pump: Self-priming centrifugal pump**Pump manufacturer:** Victor Pumps**Suction port:** 1½"**Discharge port:** 1½"**Type of ports:** Female Thread BSP**Type of self-priming:** Wet-prime**Vaccum pump:** No**Inspection cover for the impeller:** Yes**Filling port:** Yes**Drain Port:** Yes**Plug for Vacuometer:** No**Plug for the Manometer:** No**Material of casing:** Cast iron**Material of impeller:** Cast iron**Material of wear plate:** Steel**Material of shaft:** Stainless steel AISI304**Material of non-return valve:** NBR (Nitrile)**Shaft sealing:** YCV Mechanical Seal with Grease Lubrication in SiC/SiO₂/FKM (Viton®) on Stainless Steel

Sleeve

Drive

Type of drive unit: Single-phase electric motor**Drive Manufacturer:** Victor Pumps**Rated Power:** 1, 1 kW**OPS Engine Protection by Pino:** No**Maximal Rotation:** 2900 rpm (50 Hz)**Rated voltage:** 230 V ±10% @ 50 Hz

Performance data

Max vacuum with water: max 8 m (9, 5 m for 10 min)**Max vacuum with air:** max 7, 5 m

Additional Features

Plug: Schuko plug for 1 Phase with 1, 5 m cable**Paint:** RAL6011 Reseda green**External Dimensions (L x W x H):** 760 x 310 x 540 mm**Net Weight:** 33 kg

Product gallery:



